ELSEVIER

Forest Ecology and Management 107 (1998) 329–330

Forest Ecology and Management

Contents of *Forest Ecology and Management*, Volume 107

VOL. 107, NOS. 1–3 **17 AUGUST 1998**

Growth and yield models for forest stands on drained peatland sites in southern Finland
H.G. Gustavsen (Joensuu, Finland), R. Heinonen, E. Paavilainen and A. Reinikainen (Vantaa, Finland) 1
A light model for spatially explicit forest stand models
A. Brunner (Freiburg, Germany) 19
Effects of site preparation on timber and non-timber values of loblolly pine plantations
J. Gan, S.H. Kolison Jr. (Tuskegee, AL, USA), J.H. Miller (Auburn, AL, USA) and T.M. Hargrove (Tuskegee, AL, USA) 47
Influence of ecological conditions on Engelmann spruce (*Picea engelmannii*) and subalpine fir (*Abies lasiocarpa*) germinant survival and initial seedling growth in south-central British Columbia
M.C. Feller (Vancouver, Canada) 55
Probability of infestation and extent of mortality associated with the Douglas-fir beetle in the Colorado Front Range
J.F. Negron (Ft Collins, CO, USA) 71
Seasonal variation in the frost hardiness of Scots pine and Norway spruce in old provenance experiments in Finland
E. Beuker (Punkaharju, Finland), E. Valtonen and T. Repo (Joensuu, Finland) 87
Assessing potential climate change effects on loblolly pine growth: A probabilistic regional modeling approach
P.B. Woodbury, J.E. Smith, D.A. Weinstein and J.A. Laurence (Ithaca, NY, USA) 99
The influence of shading on growth and morphology in seedlings of *Quercus robur* L. and *Fagus sylvatica* L.
N.T. Welander and B. Ottosson (Alnarp, Sweden) 117
Provenance and family-within-provenance variation in *Pinus patula*, *Pinus patula* subspecies *tecunumanii* and *Pinus oocarpa* planted at Turbo, Kenya
J.G. Kariuki (Nairobi, Kenya) 127
Effect of NaCl on growth, photosynthesis, ion and water relations of four poplar genotypes
L.E. Fung, S.S. Wang (Beijing, China), A. Altman (Rehovot, Israel) and A. Hütterman (Göttingen, Germany) 135
Presence and abundance of four epiphytic bryophytes in relation to density of aspen (*Populus tremula*) and other stand characteristics
P. Hazell, O. Kellner, H. Rydin and L. Gustafsson (Uppsala, Sweden) 147
Long-term decomposition of successive organic strata in a nitrogen saturated Scots pine forest soil
M.P. Berg, J.P. Kniese, R. Zoomer and H.A. Verhoef (Amsterdam, The Netherlands) 159
An investigation of the root distribution of *Parkia biglobosa* in Burkina Faso, West Africa, using a logarithmic spiral trench
H. Tomlinson (Gwynedd, UK), A. Traore (Burkina Faso, West Africa) and Z. Teklehaimanot (Gwynedd, UK) 173
Dynamics of a broadleaved (*Castanea sativa*) conifer (*Pseudotsuga menziesii*) mixed stands in Northern Portugal
J.F. Sales Luis (Vila Real, Portugal) and M. Do Loreto Monteiro (Bragança, Portugal) 183
Nutrient deficits increase frost hardiness in Sitka spruce (*Picea sitchensis*) needles
R.E. Jalkanen (Rovaniemi, Finland), D.B. Redfern (Roslin, UK) and L.J. Sheppard (Penicuik, UK) 191
Spatial patterns of habitat protection in areas with non-industrial private forestry—hypotheses and implications
M. Carlsson (Uppsala, Sweden), M. Andersson (Alnarp, Sweden), B. Dahlin (Uppsala, Sweden) and O. Sallnäs (Alnarp, Sweden) 203
Modeling tree growth in fertilized midrotation loblolly pine plantations
J. Hynynen (Vantaa, Finland), H.E. Burkhart (Blacksburg, VA, USA) and H.L. Allen (Raleigh, NC, USA) 213
Effect of thinning and natural variation in bole roundness in Scots pine (*Pinus sylvestris* L.)
H. Mäkinen (Vantaa, Finland) 231
Mycorrhizal colonization and mycotrophic growth of native woody species as related to successional groups in Southeastern Brazil
J.O. Siqueira, M.A.C. Carneiro, N. Curi, S.C. Da Silva Rosado and A.C. Davide (Lavras, Brazil) 241

Effects of two short rotation prescribed fires in autumn on surface-active arthropods in dry sclerophyll eucalypt forest of west-central Victoria
N.G. Collett (Heidelberg, Vic., Australia) 253
Predicting response of coastal Douglas-fir to fertilizer treatments
R.E. Carter (Vancouver, BC, Canada), E.R.G. McWilliams (North Vancouver, BC, Canada) and K. Klinka (Vancouver, BC, Canada) 275
Leaf level response of planted eastern white pine (*Pinus strobus* L.) seven years after intensive silvicultural treatments
J.-F. Boucher (Québec, Canada), S. Wetzel (Sault Ste. Marie, Canada) and A.D. Munson (Québec, Canada) 291
Aboveground productivity and soil respiration in three Hawaiian rain forests
J.W. Raich (Ames, IA, USA) 309
Forest floor distribution of northern redback salamanders, *Plethodon cinereus*, in relation to canopy gaps: first year following selective logging
M. Messere and P.K. Ducey (Cortland, NY, USA) 319

Errata 325

Contents of *Forest Ecology and Management*, Volume 107 329